

Surface-mounted switch range, water protected

## Ocean®

### Overview of colours



Grey/blue-green (-53)



Alpine white (-54)

### Product features

- RoHS compliant
- Cover: Thermoplastic (PC)
  - Fracture-proof
  - UV-resistant
  - Weatherproof
  - Free of PVC and halogen

### Technical data

#### Dimensions

Rocker cover	74 mm x 83 mm
Mounting height for switches	55 mm
Mounting height for socket outlets	55 mm

#### Protection

IP 44

#### Operating temperature

-25°C - 40°C

#### Storage temperature

-25°C - 40°C

### Design



Switch/push-button  
Colour: White



Blind/rocker switch with imprint and labelling field  
Colour: White



SCHUKO® socket outlet with hinged lid  
Colour: White



Rocker switch with transparent spherical cap  
Colour: Grey/blue-green




Blind/rocker switch with imprint, labelling field and profile half cylinder  
Colour: Grey/blue-green





Blind/rocker switch with imprint, labelling field and profile half cylinder  
Colour: Grey/blue-green



Dimensional drawings of selected articles





Switch




Socket outlet, 1gang




Switch, 2gang vertical




Socket outlet, 2gang horizontal



Dimensional drawings of selected articles



Surface-mounted box, 1gang horizontal



Surface-mounted box, 1gang vertical

Experiencing the design of the Busch-Jaeger switch ranges with the light switch app. Free download for iOS and Android



Busch-Jaeger Elektro GmbH  
A member of the ABB group  
Freisenbergstrasse 2  
58505 Lüdenscheid,  
Germany  
Central sales service:  
+49 (0)2351-956-1600  
[www.busch-jaeger.de](http://www.busch-jaeger.de)

